

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/753,339	12/29/2000	Lyndon Y. Ong	61473/0269205	61473/0269205 8404	
34845	7590 08/01/2006	EXAMINER		INER	
McGUINNESS & MANARAS LLP 125 NAGOG PARK			ELALLAM	ELALLAM, AHMED	
ACTON, MA			ART UNIT	PAPER NUMBER	
·			2616		
		DATE MAIL ED: 08/01/2006			

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	09/753,339	ONG, LYNDON Y.				
Office Action Summary	Examiner	Art Unit				
	AHMED ELALLAM	2616				
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with the o	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailine earned patent term adjustment. See 37 CFR 1.704(b).	OATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 09 h	<u>//ay 2006</u> .					
2a) This action is FINAL . 2b) ⊠ This	This action is FINAL . 2b)⊠ This action is non-final.					
3) Since this application is in condition for allowa	☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4)⊠ Claim(s) 1 and 3-6 is/are pending in the applic	cation.					
4a) Of the above claim(s) is/are withdra	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1, 3-6</u> is/are rejected.	· · · · · · · · · · · · · · · · · · ·					
<u> </u>	7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/o	or election requirement.					
Application Papers						
9) ☐ The specification is objected to by the Examine	er.					
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the	drawing(s) be held in abeyance. Se	e 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) ☐ The oath or declaration is objected to by the E	xaminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreigr a) All b) Some * c) None of:	າ priority under 35 U.S.C. § 119(a)-(d) or (f).				
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
	3. Copies of the certified copies of the priority documents have been received in this National Stage					
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list	or the certified copies not receive	∍d.				
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Do Notice of Informal F	ate Patent Application (PTO-152)				
 Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 	6) Other:	atom rippinouson (i 10-102)				

DETAILED ACTION

This office communication is responsive to amendment filed on 5/09/2006. The amendment has been entered.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

1. Claims 1, 4 and 6 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

Regarding claim 1, the specification as original filed doesn't describe the claimed feature "controlling new traffic emitted into the connection to not exceed the lesser..".

The specification as originally filed refers to traffic emitted into the network and not to a connection.

Regarding claim 4, claim 4 suffers from similar remarks as in claim 1 above, thus it is subject to the same rejections.

Regarding claim 6, the specification as original filed doesn't describe the claimed feature "controlling traffic from the sending node delivered onto the connection so that

Art Unit: 2616

the amount of unacknowledged traffic from the sending node doesn't exceed the congestion window". In addition the phrase "the connection" lack antecedent basis.

Examiner indicated in the previous office action on page 4, second paragraph, "in accordance with the specification, it is the new traffic emitted into the connection (congested connection) that is "lesser of a current amount of unacknowledged traffic emitted by the sender into the network at a time of detection of the congestion condition, and current receiver buffer size at that time" and not the desired fixed bandwidth".

Emphasis added. Examiner notes that such suggestion was provided in accordance with the claims as amended without considering the support of the limitation "traffic emitted into the connection" by the original specification. Examiner erroneously suggested such language and apologizes for not indicating that the limitation of "traffic emitted into the connection" constituted new matter.

Claim Rejections - 35 USC § 102

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1, 4 and 6 are rejected under 35 U.S.C. 102(e) as being anticipated by Ludwig, US 6,754,228.

Regarding claim 1, Ludwig discloses a prior art method of controlling congestion in a communication network, the method comprising:

Controlling traffic emitted into a connection between a sender and a receiver in accordance with the minimum of congestion window size and an advertised window size, see column 6, lines 17-22, the advertised window corresponds to the input buffer capacity on the receiver side, see column 1, lines 59-62 and column 4, lines 31-59, (Examiner interpreted the congestion window as being the traffic that can be sent prior to receiving acknowledgment, and that correspond to the claimed unacknowledged traffic).

Ludwig further discloses that the advertised window is determined by the receiver, whereas the congestion window is determined by the sender, the congestion window is flow and is based on the sender's assessment of perceived network congestion control imposed by the sender, see column 4, lines 60-67.

Ludwig also discloses assessment of perceived network congestion control imposed by the sender by calculating a usable window (data that can be sent) as the difference between the total window size and the data that has been sent but not acknowledged, see column 3, lines 10-14. (Examiner interpreted this later feature of Ludwig to correspond to the claimed detecting a network congestion condition in response to an occupancy threshold of a transmit buffer of the sender).

Ludwig discloses that a window size is calculated in dependence of bandwidths, see column 6, lines 17-22 (the connection of Ludwig has a fixed bandwidth as evidenced by incorporation into the calculation of the window size, moreover connections have fixed bandwidth imposed by hardware design).

Application/Control Number: 09/753,339 Page 5

Art Unit: 2616

Regarding claim 4, Ludwig discloses assessment of perceived network congestion control imposed by the sender by calculating a usable window (data that can be sent) as the difference between the total window size and the data that has been sent but not acknowledged, see column 3, lines 10-14. (Examiner interpreted this later feature of Ludwig to correspond to the claimed detecting a potential congestion in a connection between a source node and a destination node in the communication network). Ludwig also discloses that a window size is calculated in dependence of bandwidths, see column 6, lines 17-22 (the connection of Ludwig has a fixed bandwidth as evidenced by incorporation into the calculation of the window size, moreover connections have fixed bandwidth imposed by hardware design). (Claimed connection having a desired bandwidth). Ludwig also discloses controlling traffic emitted into a connection between a sender and a receiver in accordance with the minimum of congestion window size and an advertised window size, see column 6, lines 17-22, the advertised window corresponds to the input buffer capacity on the receiver side, see column 1, lines 59-62 and column 4, lines 31-67, (Examiner interpreted the congestion window as being the traffic that can be sent prior to receiving acknowledgment, and that correspond to the claimed unacknowledged traffic). (Claimed upon detection of the potential congestion condition, controlling new traffic emitted into the connection to be no more than the lesser of a current unacknowledged traffic load at the source node of the network at the time of detection and a receive buffer size of the receiving node).

Art Unit: 2616

Regarding claim 6, Ludwig discloses assessment of perceived network congestion control imposed by the sender by calculating a usable window (data that can be sent) as the difference between the total window size and the data that has been sent but not acknowledged, see column 3, lines 10-14. (Claimed detecting whether a congestion condition is present in response to an occupancy threshold of a transmit buffer of a sending node of the communication network), Ludwig also discloses that a window size is calculated in dependence of bandwidths, see column 6, lines 17-22, and controlling traffic emitted into a connection between a sender and a receiver in accordance with the minimum of congestion window size and an advertised window size, see column 6, lines 17-22, the advertised window corresponds to the input buffer capacity on the receiver side, see column 1, lines 59-62 and column 4, lines 31-67, (Claimed when a congestion condition is present, setting a congestion window to a prescribed value, wherein the prescribed value is the lesser of a current amount of unacknowledged traffic emitted by the sending node into the network at time of detection of the congestion condition and a receiver buffer size at that time, and controlling traffic from the sending node delivered into the network so that the amount of unacknowledged traffic from the sending node doesn't exceed the congestion window size).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Application/Control Number: 09/753,339 Page 7

Art Unit: 2616

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

3. Claims 3 and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ludwig.

Regarding claims 3 and 5, Ludwig discloses having a flow of data from a sender to a receiver is controlled by automatically taking into account one or more bandwidth value associated with the connection. See column 9, lines 31-43. Ludwig also discloses that the value to be associated with a given link is the bandwidth of the physical connection corresponding to the link, and Ludwig disclosed that the physical bandwidth can either be the absolutely maximum bandwidth that a specific link can offer, in which case the value is constant for a given link, or the maximum bandwidth under the prevailing conditions, see Column 9, lines 66-67 and column 10, lines 1-23

Therefore Ludwig discloses substantially all the limitations of claims 3 and 5, except it doesn't disclose the network been a private network.

However it would have been obvious to a person of ordinary person of skill in the art at the time the invention is made to implement the congestion control mechanism of Ludwig to a private network such as an Intranet so that bandwidth optimization can be provided in a similar manner as in the communication network of Ludwig, for example taking advantage of minimizing congestion applied to a private network. (Ludwig column 9, lines 44-53).

Response to Arguments

4. Applicant's arguments with respect to claim 4 have been considered but are moot in view of the new ground(s) of rejection.

Election/Restrictions:

Applicant's traversal of claims 8-13 in the reply filed on 5/09/2006 is acknowledged. The traversal is on the ground(s) that the method of detecting congestion on a connection (claims 1, 3-6), include within their scope a method for monitoring for indication of dropped packets on a connection. This is not found persuasive as indicated below.

Applicants submitted that the claims (8-13) are not drawn to two independent or distinct inventions, and do not believe that there would be a serious burden on the Examiner to examine the application as filed. Applicants urged the Examiner to reconsider this issue.

Examiner respectfully disagrees with Applicants position. The claims 8-13 are withdrawn from reconsideration in that claims 8-13 have limitations that were not present in any original claims. For example claim 8 requires the monitoring of a connection for dropped packet as an indication of a congestion condition, while original claim 1 for example requires a sender buffer occupancy threshold as the indicator for the congestion condition, moreover independent claim 8 also requires the controlling of a rate of transmission of the dropped packets. It is clear that claim 8 has a completely different scope than originally presented claims as evidenced by the absence of any

Application/Control Number: 09/753,339

Art Unit: 2616

limitation in the claims as originally presented, thus contrary to Applicants assumption, the new claims (8-13) indeed have a serious burden on the Examiner, because the invention of claim 8 is clearly distinct from that of claim 1, and thus would require a burdensome search for the Examiner. Therefore, Examiner respectfully maintains that the restriction by the original representation is proper.

The requirement is still deemed proper and is therefore made FINAL.

Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure: See form PTO-892.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to AHMED ELALLAM whose telephone number is (571) 272-3097. The examiner can normally be reached on 9-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, To Doris can be reached on (571) 272-7629. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

Application/Control Number: 09/753,339 Page 10

Art Unit: 2616

you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

AHMED ELALLAM Examiner Art Unit 2616 7/21/06

DORIS H. TO SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600